

OBSERVER'S REPORT DIGITAL VIBROSEIS RECORDER

Exploration Services
Division
Geosource Inc.

| | | | | |
|-------------------------|-----------------------------|--------------------------------|---------------------------|------------------------|
| CLIENT COCORP | AREA Florida | STATE Florida | COUNTY HAMILTON | DATE 1-18-84 |
| CREW NO. 6834 | TERRAIN Dirt Road | WEATHER cloudy + WET | | LINE NO. # 4 |

| REC. NO. | SWEEP POINT | PATCH LOCATIONS | CDP SW. | NO VIB | AMP GAIN | TAPE RL. NO. | F I L T E R | | | REMARKS |
|----------|----------------|-----------------|---------|--------|--------------|--------------|-------------|------|-----|---|
| | | | | | | | LOCUT | 60 ~ | AMP | |
| 1 | 933 Pulse | 1-6sec | | | missed sweep | 929 | OUT | IN | | Recorder set up at 65-66. B.O.T #929, 900 ips. 16 sweeps. |
| 2 | 934 EINT | 2-11" | | | | | | | | 5 Vib, 1st Vib - 44' Behind Flag, 50' spacing, 20.6 |
| 3 | 935 D.R.D | 4-11" | | | | | | | | MOVE UP. 16 sweep, 16sec sweep, 32sec Record. |
| 4 | 936 sumtest | 2-11" | | | | | | | | |
| 5 | 941 N.R.J | 2-11" | | | | | | | | |
| 6 | 932 similarity | 1-16sec | 236 | 4 | | | | | | 30% |
| 7 | 001 windstrip | 1-32sec | 8 | | | | | | | 72% |
| 8 | 002 99 | 1-96 | 8 | 5 | | | | | | 50% |
| 9 | 003 100 | 2-97 | 9 | | | | | | | 50% |
| 10 | 004 101 | 3-98 | 10 | | | | | | | 50% |
| 11 | 005 102 | 4-99 | 11 | | | | | | | 50% |
| 12 | 006 103 | 5-100 | 12 | | | | | | | 50% |
| 13 | 007 104 | 6-101 | 13 | | | | | | | 50% |
| 14 | 008 105 | 7-102 | 14 | | | | | | | 50% |
| 15 | SKIP 106 | 8-103 | 15 | | | | | | | SKIP Due to HOUSE. |
| 16 | SKIP 107 | 9-104 | 16 | | | | | | | SKIP " " " |
| 17 | 009 108 | 10-105 | 17 | | | | | | | 30% LAST HALF |
| 18 | 010 109 | 11-106 | 18 | | | | | | | 50% |
| 19 | 011 110 | 12-107 | 19 | | | | | | | 50% |
| 20 | 012 111 | 13-108 | 20 | | | | | | | 50% 4 sweep ONLY, Due to SINK hole. |
| 21 | 013 112 | 14-109 | 21 | | | | | | | 50% LAST HALF |
| 22 | 014 113 | 15-110 | 22 | | | | | | | 50% |
| 23 | 015 114 | 16-111 | 23 | | | | | | | 50% |
| 24 | 016 115 | 17-112 | 24 | | | | | | | 50% |
| 25 | 017 116 | 18-113 | 25 | | | | | | | 50% LAST HALF |

| | | | | | |
|--------------|--------------|----------------|------------------|--------------|------------|
| TOTAL SETUPS | TOTAL SWEEPS | TOTAL COVERAGE | TOTAL FIELD TIME | DRIVING TIME | SYSTEM NO. |
|--------------|--------------|----------------|------------------|--------------|------------|

| | | | | |
|---|---------------------------------------|-----------------------------------|--------------------------------------|---|
| SWEEP FREQUENCY 8 > 32 Hz / 16 sec | SWEEP PATTERN see Remarks | SWEEPS PER PATTERN 16 | SWEEP PATTERNS PER SETUP 1 | PATCH PATTERN (X) |
| GEOPHONES PER PATCH 24 | NO. OF RECORDING PATCHES 96 | TYPE VIBRATOR 5-VII00'S | TYPE GEOPHONE E+LDV22B | FREQUENCY 2.5 HZ |
| STATION INTERVAL 330' | | LINE DIR. 1 TO 24 E → W | | |

| | | |
|---|---|-------------------------------|
| REMARKS 8ms SAMPLE RATE / 32sec Record Length | OBSERVER R. Patton, M. Richey | PARTY MGR. L. DAVIS |
|---|---|-------------------------------|

**OBSERVER'S REPORT
DIGITAL VIBROSEIS RECORDER**

**Exploration Services
Division**
Geosource Inc. 2

| | | | | |
|-------------------------|-----------------------------|---------------------------------|---------------------------|------------------------|
| CLIENT <i>COCORP</i> | AREA <i>Florida</i> | STATE <i>Florida</i> | COUNTY <i>HAMILTON</i> | DATE <i>1-18-84</i> |
| CREW NO. <i>6834</i> | TERRAIN <i>Dirt Road</i> | WEATHER <i>cloudy + wet.</i> | | LINE NO. <i>#4</i> |

| REC. NO. | SWEEP POINT | PATCH LOCATIONS | CDP SW. | NO VIB | AMP GAIN | TAPE RL. NO. | FILTER | | | REMARKS |
|----------|-------------|-----------------|---------|--------|------------------|-------------------|--------|---------------|-----|---------------------------------------|
| | | | | | | | LOCUT | 60~ | AMP | |
| 1 | 018 | 117 | 19-114 | 26 | 5 | <i>missed 929</i> | | <i>OUT IN</i> | 50% | |
| 2 | 019 | 118 | 20-115 | 27 | | 929 | | | 50% | <i>E.O.T #929, TAPE MKTS</i> |
| 3 | 020 | 119 | 21-116 | 28 | <i>windstrip</i> | 930 | | | 72% | <i>B.O.T #930, 900 10sec ALL ONES</i> |
| 4 | 021 | 119 | 21-116 | 28 | | | | | 50% | |
| 5 | 022 | 120 | 22-117 | 29 | | | | | 50% | |
| 6 | 023 | 121 | 23-118 | 30 | | | | | 50% | |
| 7 | 024 | 122 | 24-119 | 31 | | | | | 50% | |
| 8 | 025 | 123 | 25-120 | 32 | | | | | 50% | |
| 9 | 026 | 124 | 26-121 | 33 | | | | | 50% | |
| 10 | 027 | 125 | 27-122 | 34 | | | | | 50% | |
| 11 | | | | | | | | | | |
| 12 | | | | | | | | | | |
| 13 | | | | | | | | | | |
| 14 | | | | | | | | | | |
| 15 | | | | | | | | | | |
| 16 | | | | | | | | | | |
| 17 | | | | | | | | | | |
| 18 | | | | | | | | | | |
| 19 | | | | | | | | | | |
| 20 | | | | | | | | | | |
| 21 | | | | | | | | | | |
| 22 | | | | | | | | | | |
| 23 | | | | | | | | | | |
| 24 | | | | | | | | | | |
| 25 | | | | | | | | | | |

| | | | | | | | | | | | | |
|---------------------|--|--------------------------|---------------|----------------|--|--------------------|------------------|-----------|--------------------------|------------------|---------------|-------------------|
| TOTAL SETUPS | | TOTAL SWEEPS | | TOTAL COVERAGE | | | TOTAL FIELD TIME | | DRIVING TIME | | SYSTEM NO. | |
| SWEEP FREQUENCY | | | SWEEP PATTERN | | | SWEEPS PER PATTERN | | | SWEEP PATTERNS PER SETUP | | PATCH PATTERN | |
| GEOPHONES PER PATCH | | NO. OF RECORDING PATCHES | | TYPE VIBRATOR | | TYPE GEOPHONE | | FREQUENCY | | STATION INTERVAL | | LINE DIR. 1 TO 24 |
| REMARKS | | | | | | | OBSERVER | | | PARTY MGR. | | |

OBSERVER'S REPORT DIGITAL VIBROSEIS RECORDER

Exploration Services
Division
Geosource Inc. 3

| | | | | |
|-------------------------|-----------------------------|---------------------------------|-----------------------|------------------------|
| CLIENT COCORP | AREA Florida | STATE Florida | COUNTY Levy | DATE 1-19-84 |
| CREW NO. 6834 | TERRAIN Dirt Road | WEATHER cloudy + wet. | | LINE NO. 24 |

| REC. NO. | SWEEP POINT | PATCH LOCATIONS | CDP SW. | NO VIB | AMP GAIN | TAPE RL. NO. | F I L T E R | | | REMARKS |
|----------|-------------|-----------------|---------|--------|----------|--------------|-------------|------|------|---|
| | | | | | | | LOCUT | 60 ~ | AMP | |
| 1 | 933 | PULSE | | | | 930 | DIET | IN | | Recorder SET UP AT 98-99. |
| 2 | 934 | EINT | | | | | | | | 5 Vib, 1st ViP -44' Behind Flag, 50' spacing, 20' G |
| 3 | 935 | D.R.D | | | | | | | | move up. 16sec sweep, 16sec sweep, 32sec Record. |
| 4 | 936 | Sumtest | | | | | | | | |
| 5 | 937 | N.R.S | | | | | | | | NOTE: MEN WORKING AROUND STA 94-97. |
| 6 | 932 | similarity | 236 | 5 | | | | | 40% | NOTE: MEN WORKING AROUND STA 90. NOISY. |
| 7 | 028 | windstrip | 2 | | | | | | 72% | |
| 8 | 029 | 126 | 2 | 5 | | | | | 50% | |
| 9 | 030 | 127 | 3 | | | | | | 30% | 1st HALF. |
| 10 | SKIP | 128 | 4 | | | | | | SKIP | DUE TO HOUSE. |
| 11 | SKIP | 129 | 5 | | | | | | SKIP | " " " |
| 12 | 031 | 130 | 6 | | | | | | 50% | LAST HALF. |
| 13 | 032 | 131 | 7 | | 1 | | | | 50% | |
| 14 | 033 | 132 | 8 | | | | | | 50% | |
| 15 | 034 | 133 | 9 | | | | | | 50% | |
| 16 | 035 | 134 | 10 | | | | | | 50% | |
| 17 | 036 | 135 | 11 | | | | | | 50% | |
| 18 | 037 | 136 | 12 | | | | | | 50% | |
| 19 | 038 | 137 | 13 | | | 930 | | | 50% | E.O. + #930, TAPE MKTS. |
| 20 | 039 | 138 | 14 | | | 931 | | | 72% | B.O. + #931, 90' 10sec ALL OVER. |
| 21 | 040 | 138 | 14 | | | | | | 50% | |
| 22 | 041 | 139 | 15 | | | | | | 50% | |
| 23 | 042 | 140 | 16 | | | | | | 50% | |
| 24 | 043 | 141 | 17 | | | | | | 50% | |
| 25 | 044 | 142 | 18 | | | | | | 50% | |

| | | | | | |
|---|---------------------------------------|--|---|---------------------------------|---------------------------------|
| TOTAL SETUPS | TOTAL SWEEPS | TOTAL COVERAGE | TOTAL FIELD TIME | DRIVING TIME | SYSTEM NO. |
| SWEEP FREQUENCY 8732Hz / 16sec | | SWEEP PATTERN See Remark | | SWEEPS PER PATTERN 16 | |
| SWEEP PATTERNS PER SETUP 1 | | PATCH PATTERN X X X X | | | |
| GEOPHONES PER PATCH 24 | NO. OF RECORDING PATCHES 96 | TYPE VIBRATOR 5-Y1100's | TYPE GEOPHONE ETD V228 | FREQUENCY 7.5Hz | STATION INTERVAL 330' |
| REMARKS 8ms SAMPLE RATE / 32sec Record Length | | | OBSERVER R. PATTON, M. RICHES | PARTY MGR. L. PAVIS | |

OBSERVER'S REPORT
DIGITAL VIBROSEIS RECORDER

Exploration Services
Division
Geosource Inc. 4

| | | | | |
|-------------------------|-----------------------------|--------------------------------|---------------------------|------------------------|
| CLIENT <i>COCORP</i> | AREA <i>Florida</i> | STATE <i>Florida</i> | COUNTY <i>HAMILTON</i> | DATE <i>1-19-84</i> |
| CREW NO. <i>6834</i> | TERRAIN <i>Dirt Road</i> | WEATHER <i>cloudy + WET</i> | | LINE NO. <i>#4</i> |

| REC. NO. | SWEEP POINT | PATCH LOCATIONS | CDP SW. | NO VIB | AMP GAIN | TAPE RL. NO. | F I L T E R | | | REMARKS |
|----------|-------------|-----------------|---------|--------|----------|---------------------|-------------|------|------|--|
| | | | | | | | LOCUT | 60 ~ | AMP | |
| 1 | 045 | 143 | 45-140 | 19 | 5 | 3452 931 | OUT | IN | 50% | |
| 2 | 046 | 144 | 46-141 | 20 | | | | | 50% | |
| 3 | 047 | 145 | 47-142 | 21 | | | | | 50% | |
| 4 | 048 | 146 | 48-143 | 22 | | | | | 50% | |
| 5 | 049 | 147 | 49-144 | 23 | 4 | | | | 50% | Vib # 23652 Down, BACK MASS Problems. |
| 6 | 050 | 148 | 50-145 | 24 | | | | | 50% | |
| 7 | 051 | 149 | 51-146 | 25 | | | | | 30% | 1st HALF. |
| 8 | SKIP | 150 | 52-147 | 26 | | | | | SKIP | FROM STA # 150 to 155, SKIP Due to Houses. |
| 9 | 052 | 156 | 58-153 | 32 | | | | | 50% | LAST HALF. |
| 10 | 053 | 157 | 59-154 | 33 | | | | | 50% | |
| 11 | 054 | 158 | 60-155 | 34 | | | | | 50% | |
| 12 | 055 | 159 | 61-156 | 35 | | | | | 30% | 1st HALF. |
| 13 | 056 | 189 | 65-160 | 39 | | | | | 50% | C.D.P. will stay the same. VIB. ARE ON other SIDE OF RIVER. <u>Note!</u> |
| 14 | 057 | 190 | 65-160 | 39 | 1 | | | | 50% | will Pull line leaving Spread StationARY |
| 15 | 058 | 191 | 65-160 | 39 | 1 | | | | 50% | |
| 16 | 059 | 192 | 65-160 | 39 | | | | | 50% | |
| 17 | 060 | 193 | 65-160 | 39 | | 931 | | | 50% | E.O. # 931, TAPE MKTS |
| 18 | 061 | 194 | 65-160 | 39 | | wind trip 932 | | | 72% | B.O. # 932, 900 10sec ALL ONES. |
| 19 | 062 | 194 | 65-160 | 39 | | | | | 50% | |
| 20 | 063 | 195 | 65-160 | 39 | 1 | | | | 50% | |
| 21 | 064 | 196 | 65-160 | 39 | | | | | 30% | |
| 22 | 065 | 197 | 65-160 | 39 | | | | | 30% | 1st HALF. |
| 23 | SKIP | 198 | 65-160 | 39 | | | | | SKIP | Due to House. |
| 24 | SKIP | 199 | 65-160 | 39 | | | | | SKIP | " " " |
| 25 | 066 | 200 | 65-160 | 39 | | | | | 30% | LAST HALF. |

| | | | | | |
|---------------------|--------------------------|--------------------|--------------------------|---------------|------------------|
| TOTAL SETUPS | TOTAL SWEEPS | TOTAL COVERAGE | TOTAL FIELD TIME | DRIVING TIME | SYSTEM NO. |
| SWEEP FREQUENCY | SWEEP PATTERN | SWEEPS PER PATTERN | SWEEP PATTERNS PER SETUP | PATCH PATTERN | |
| GEOPHONES PER PATCH | NO. OF RECORDING PATCHES | TYPE VIBRATOR | TYPE GEOPHONE | FREQUENCY | STATION INTERVAL |
| REMARKS | | | OBSERVER | PARTY MGR. | |

OBSERVER'S REPORT DIGITAL VIBROSEIS RECORDER

Exploration Services
Division
Geosource Inc. 5

| | | | | |
|-------------------------|-----------------------------|---------------------------------|---------------------------|------------------------|
| CLIENT <i>COCORP</i> | AREA <i>Florida</i> | STATE <i>Florida</i> | COUNTY <i>HAMILTON</i> | DATE <i>1-19-84</i> |
| CREW NO. <i>6834</i> | TERRAIN <i>Dirt Road</i> | WEATHER <i>Cloudy + WET.</i> | | LINE NO. <i>44</i> |

| REC. NO. | SWEEP POINT | PATCH LOCATIONS | CDP SW. | NO VIB | AMP GAIN | TAPE RL. NO. | F I L T E R | | | RE MARKS |
|----------|-------------|-----------------|---------|--------|----------|-------------------------|-------------|-----------|------------|-----------------------|
| | | | | | | | LOCUT | 60 ~ | AMP | |
| 1 | 067 | 201 | 65-160 | 39 | 4 | <i>missed sweep</i> 932 | <i>OUT</i> | <i>IN</i> | <i>50%</i> | |
| 2 | 068 | 202 | 65-160 | 39 | | | | | <i>30%</i> | <i>12 sweep ONLY.</i> |
| 3 | | | | | | | | | | |
| 4 | | | | | | | | | | |
| 5 | | | | | | | | | | |
| 6 | | | | | | | | | | |
| 7 | | | | | | | | | | |
| 8 | | | | | | | | | | |
| 9 | | | | | | | | | | |
| 10 | | | | | | | | | | |
| 11 | | | | | | | | | | |
| 12 | | | | | | | | | | |
| 13 | | | | | | | | | | |
| 14 | | | | | | | | | | |
| 15 | | | | | | | | | | |
| 16 | | | | | | | | | | |
| 17 | | | | | | | | | | |
| 18 | | | | | | | | | | |
| 19 | | | | | | | | | | |
| 20 | | | | | | | | | | |
| 21 | | | | | | | | | | |
| 22 | | | | | | | | | | |
| 23 | | | | | | | | | | |
| 24 | | | | | | | | | | |
| 25 | | | | | | | | | | |

| | | | | | |
|---------------------|--------------------------|--------------------|--------------------------|---------------|------------------|
| TOTAL SETUPS | TOTAL SWEEPS | TOTAL COVERAGE | TOTAL FIELD TIME | DRIVING TIME | SYSTEM NO. |
| SWEEP FREQUENCY | SWEEP PATTERN | SWEEPS PER PATTERN | SWEEP PATTERNS PER SETUP | PATCH PATTERN | |
| GEOPHONES PER PATCH | NO. OF RECORDING PATCHES | TYPE VIBRATOR | TYPE GEOPHONE | FREQUENCY | STATION INTERVAL |
| REMARKS | | | OBSERVER | PARTY MGR. | |

OBSERVER'S REPORT DIGITAL VIBROSEIS RECORDER

Exploration Services
Division
Geosource Inc. 6

| | | | | |
|-------------------------|-----------------------------|------------------------------------|---------------------------|------------------------|
| CLIENT COCORP | AREA Florida | STATE Florida | COUNTY HAMILTON | DATE 1-20-84 |
| CREW NO. 6834 | TERRAIN Dirt Road | WEATHER Cloudy & WET | | LINE NO. #4 |

| REC. NO. | SWEEP POINT | PATCH LOCATIONS | CDP SW. | NO VIB | AMP GAIN | TAPE RL. NO. | FILTER | | | REMARKS |
|----------|-------------|-----------------|---------|--------|--------------|--------------|--------|------|------|--|
| | | | | | | | LOCUT | 60 ~ | AMP | |
| 1 | 933 | PULSE | | | Missed Sweep | 932 | DIRT | IN | | Recorder set up at 253-256 |
| 2 | 934/935 | EINT | | | | | | | | 4 Vibs, 1st Vib - 69' Behind FLAG, 50' spacing |
| 3 | 936/939 | D.R.D | | | | | | | | 20' 6 make up, 16sec sweep, 16 sweep, 32sec |
| 4 | 953/954 | sum test | | | | | | | | Record. NOTE: HAD TO PICKING UP LINE, Due to |
| 5 | 960/961 | N.R.J. | | | | | | | | RIVER, FLIP FLOP LINE, WILL BE PUSHING LINE. |
| 6 | 932 | SIMILARITY | 237 | 4 | | | | | 40% | Vib # 23652 Down, Replacing Brushing on BACK MASS. |
| 7 | 969 | WINDSTRIP | 9 | | | | | | 72Db | |
| 8 | 070 | 189 | 192-287 | 9 | 4 | | | | 50% | VIBS. WILL BE PUSHING LINE. |
| 9 | 071 | 190 | 193-288 | 10 | 1 | | | | 50% | |
| 10 | 072 | 191 | 194-289 | 11 | | | | | 50% | |
| 11 | 073 | 192 | 195-290 | 12 | | | | | 50% | |
| 12 | 074 | 193 | 196-291 | 13 | | | | | 50% | |
| 13 | 075 | 194 | 197-292 | 14 | | | | | 50% | |
| 14 | 076 | 195 | 198-293 | 15 | | | | | 50% | |
| 15 | 077 | 196 | 199-294 | 16 | | | | | 50% | |
| 16 | 078 | 197 | 200-295 | 17 | | | | | 50% | |
| 17 | SKIP | 198 | 201-296 | 18 | | | | | SKIP | Due to HOUSE. |
| 18 | SKIP | 199 | 202-297 | 19 | | | | | SKIP | " " " |
| 19 | 079 | 200 | 203-298 | 20 | 1 | 932 | | | 30% | LAST HALF. E.O. #932, TAPE MKTS. |
| 20 | 080 | 201 | 204-299 | 21 | windstrip | 933 | | | 72Db | R.O. #933, 900 10sec ALL ONES. |
| 21 | 081 | 201 | 204-299 | 21 | | | | | 30% | |
| 22 | 082 | 202 | 205-300 | 22 | | | | | 30% | 1st HALF. |
| 23 | SKIP | 203 | 206-301 | 23 | | | | | SKIP | Due to HOUSES. |
| 24 | SKIP | 204 | 207-302 | 24 | | | | | SKIP | " " " |
| 25 | 083 | 205 | 208-303 | 25 | | | | | 30% | LAST HALF. |

| | | | | | |
|---|---------------------------------------|---|----------------------------------|---------------------------------|---------------------------------|
| TOTAL SETUPS | TOTAL SWEEPS | TOTAL COVERAGE | TOTAL FIELD TIME | DRIVING TIME | SYSTEM NO. |
| SWEEP FREQUENCY 8 > 32 Hz / 16 sec | | SWEEP PATTERN See Remarks | | SWEEPS PER PATTERN 16 | |
| SWEEP PATTERNS PER SETUP 1 | | PATCH PATTERN / X / | | | |
| GEOPHONES PER PATCH 24 | NO. OF RECORDING PATCHES 96 | TYPE VIBRATOR 5-1100'S | TYPE GEOPHONE E+LDV22B | FREQUENCY 7.5 Hz | STATION INTERVAL 330' |
| REMARKS 8ms SAMPLE RATE / 32sec Record Length | | | OBSERVER R. PATTON | PARTY MGR. M. Richey | |

**OBSERVER'S REPORT
DIGITAL VIBROSEIS RECORDER**

Exploration Services
Division
Geosource Inc.

| | | | | |
|-------------------------|-----------------------------|---------------------------------|---------------------------|------------------------|
| CLIENT <i>COCORP</i> | AREA <i>Florida</i> | STATE <i>Florida</i> | COUNTY <i>HAMILTON</i> | DATE <i>1-20-84</i> |
| CREW NO. <i>6834</i> | TERRAIN <i>Dirt Road</i> | WEATHER <i>cloudy + wet.</i> | | LINE NO. <i>#4</i> |

| REC.NO. | SWEEP POINT | PATCH LOCATIONS | CDP SW. | NO VIB | AMP GAIN | TAPE RL.NO. | F I L T E R | | | RE MARKS |
|---------|-------------|-----------------|---------|--------|----------|----------------------------|-------------|------|-----|----------|
| | | | | | | | LOCUT | 60 ~ | AMP | |
| 1 | 084 | 206 | 209-304 | 26 | 4 | <i>MISSED SWEEP</i> 933 | OUT | IN | 50% | |
| 2 | 085 | 207 | 210-305 | 27 | | | | | 50% | |
| 3 | 086 | 208 | 211-306 | 28 | | | | | 50% | |
| 4 | 087 | 209 | 212-307 | 29 | | | | | 50% | |
| 5 | | | | | | | | | | |
| 6 | | | | | | | | | | |
| 7 | | | | | | | | | | |
| 8 | | | | | | | | | | |
| 9 | | | | | | | | | | |
| 10 | | | | | | | | | | |
| 11 | | | | | | | | | | |
| 12 | | | | | | | | | | |
| 13 | | | | | | | | | | |
| 14 | | | | | | | | | | |
| 15 | | | | | | | | | | |
| 16 | | | | | | | | | | |
| 17 | | | | | | | | | | |
| 18 | | | | | | | | | | |
| 19 | | | | | | | | | | |
| 20 | | | | | | | | | | |
| 21 | | | | | | | | | | |
| 22 | | | | | | | | | | |
| 23 | | | | | | | | | | |
| 24 | | | | | | | | | | |
| 25 | | | | | | | | | | |

| | | | | | |
|---------------------|--------------------------|--------------------|--------------------------|---------------|------------------|
| TOTAL SETUPS | TOTAL SWEEPS | TOTAL COVERAGE | TOTAL FIELD TIME | DRIVING TIME | SYSTEM NO. |
| SWEEP FREQUENCY | SWEEP PATTERN | SWEEPS PER PATTERN | SWEEP PATTERNS PER SETUP | PATCH PATTERN | |
| GEOPHONES PER PATCH | NO. OF RECORDING PATCHES | TYPE VIBRATOR | TYPE GEOPHONE | FREQUENCY | STATION INTERVAL |
| REMARKS | | | OBSERVER | PARTY MGR. | |

**OBSERVER'S REPORT
DIGITAL VIBROSEIS RECORDER**

**Exploration Services
Division**
Geosource Inc. 6

| | | | | |
|-------------------------|-----------------------------|-------------------------|-------------------------|------------------------|
| CLIENT <i>COCORP</i> | AREA <i>Florida</i> | STATE <i>Florida</i> | COUNTY <i>MARION</i> | DATE <i>1-21-84</i> |
| CREW NO. <i>6834</i> | TERRAIN <i>Dirt Road</i> | WEATHER <i>Clear</i> | | LINE NO. <i>#4</i> |

| REC. NO. | SWEEP POINT | PATCH LOCATIONS | CDP SW. | NO VIB | AMP GAIN | TAPE RL. NO. | F I L T E R | | | REMARKS |
|----------|-------------------|-----------------|------------|------------------|---------------------|--------------|-------------|-----------|-------------|---|
| | | | | | | | LOCUT | 60 ~ | AMP | |
| 1 | <i>PULSE</i> | <i>1-6sec</i> | | | <i>missed sweep</i> | <i>933</i> | <i>OUT</i> | <i>IN</i> | | <i>Recorder set up At 270-271</i> |
| 2 | <i>EINT</i> | <i>2-'' ''</i> | | | | | | | | <i>4 Vibs, 1st Vib - 69' Behind Flag, 50' spacing, 20.6</i> |
| 3 | <i>D.R.D</i> | <i>4-'' ''</i> | | | | | | | | <i>move up, 16sec sweep, 16sweep, 32sec Record.</i> |
| 4 | <i>sumtest</i> | <i>2-'' ''</i> | | | | | | | | |
| 5 | <i>N.R.S</i> | <i>2-'' ''</i> | | | | | | | | |
| 6 | <i>similarity</i> | <i>7-16sec</i> | <i>237</i> | <i>4</i> | | | | | <i>40%</i> | <i>Vib #236.52 Down, working on back mass.</i> |
| 7 | <i>windstrip</i> | <i>1-32sec</i> | <i>15</i> | | | | | | <i>72%</i> | <i>NOTE: STA #260 OPEN, Due to men working</i> |
| 8 | <i>210</i> | <i>213-308</i> | <i>15</i> | <i>4</i> | | | | | <i>50%</i> | |
| 9 | <i>211</i> | <i>214-309</i> | <i>16</i> | | | | | | <i>50%</i> | |
| 10 | <i>212</i> | <i>215-310</i> | <i>17</i> | | | | | | <i>50%</i> | |
| 11 | <i>213</i> | <i>216-311</i> | <i>18</i> | | | | | | <i>50%</i> | <i>NOTE: STA #311 OPEN Due to a church.</i> |
| 12 | <i>214</i> | <i>217-312</i> | <i>19</i> | | | | | | <i>50%</i> | |
| 13 | <i>215</i> | <i>218-313</i> | <i>20</i> | | | | | | <i>50%</i> | |
| 14 | <i>216</i> | <i>219-314</i> | <i>21</i> | | <i>1</i> | | | | <i>50%</i> | |
| 15 | <i>217</i> | <i>220-315</i> | <i>22</i> | | | | | | <i>50%</i> | |
| 16 | <i>218</i> | <i>221-316</i> | <i>23</i> | | | | | | <i>50%</i> | |
| 17 | <i>219</i> | <i>222-317</i> | <i>24</i> | | | <i>933</i> | | | <i>50%</i> | <i>E.O.T #933. TAPE MKTS.</i> |
| 18 | <i>SKIP</i> | <i>223-318</i> | <i>25</i> | | | | | | <i>SKIP</i> | <i>Due to Power Station</i> |
| 19 | <i>221</i> | <i>224-319</i> | <i>26</i> | <i>windstrip</i> | | <i>934</i> | | | <i>72%</i> | <i>B.O.T #934, 900 10sec ALLOWES</i> |
| 20 | <i>221</i> | <i>224-319</i> | <i>26</i> | | | | | | <i>50%</i> | |
| 21 | <i>222</i> | <i>225-320</i> | <i>27</i> | | | | | | <i>50%</i> | |
| 22 | <i>223</i> | <i>226-321</i> | <i>28</i> | | | | | | <i>50%</i> | |
| 23 | <i>224</i> | <i>227-322</i> | <i>29</i> | | | | | | <i>50%</i> | |
| 24 | <i>225</i> | <i>228-323</i> | <i>30</i> | | | | | | <i>50%</i> | |
| 25 | <i>226</i> | <i>229-324</i> | <i>31</i> | | | | | | <i>50%</i> | |

| | | | | | |
|---|---------------------------------------|-------------------------------------|---|---------------------------------|---------------------------------|
| TOTAL SETUPS | TOTAL SWEEPS | TOTAL COVERAGE | TOTAL FIELD TIME | DRIVING TIME | SYSTEM NO. |
| SWEEP FREQUENCY <i>8 > 32Hz / 16sec</i> | | SWEEP PATTERN <i>See Remarks</i> | | SWEEPS PER PATTERN <i>16</i> | |
| SWEEP PATTERNS PER SETUP <i>1</i> | | PATCH PATTERN <i> X </i> | | | |
| GEOPHONES PER PATCH <i>24</i> | NO. OF RECORDING PATCHES <i>96</i> | TYPE VIBRATOR <i>5-X1100'S</i> | TYPE GEOPHONE <i>ETLDU22P</i> | FREQUENCY <i>7.5Hz</i> | STATION INTERVAL <i>330'</i> |
| REMARKS <i>8ms sample RATE / 32sec Record Length</i> | | | OBSERVER <i>R. PATTON, M. Richey</i> | PARTY MGR. <i>L. DAVIS</i> | |

**OBSERVER'S REPORT
DIGITAL VIBROSEIS RECORDER**

**Exploration Services
Division
Geosource Inc.**

| | | | | |
|-------------------------|-----------------------------|-------------------------|--------------------------|------------------------|
| CLIENT <i>COCORP</i> | AREA <i>Florida</i> | STATE <i>Florida</i> | COUNTY <i>MADISON</i> | DATE <i>1-27-84</i> |
| CREW NO. <i>6834</i> | TERRAIN <i>Dirt Road</i> | WEATHER <i>clear</i> | | LINE NO. <i>4</i> |

| REC.NO. | SWEEP POINT | PATCH LOCATIONS | CDP SW. | NO VIB | AMP GAIN | TAPE RL.NO. | F I L T E R | | | RE MARKS |
|---------|-------------|-----------------|---------|--------|----------|----------------------|-------------|------|-----|----------|
| | | | | | | | LOCUT | 60 ~ | AMP | |
| 1 | 106 | 227 | 230-325 | 32 | 4 | 12.5 9.34 | OUT | IN | 50% | |
| 2 | 107 | 228 | 231-326 | 33 | | | | | 50% | |
| 3 | 108 | 229 | 232-327 | 34 | | | | | 50% | |
| 4 | 109 | 230 | 233-328 | 35 | | | | | 50% | |
| 5 | 110 | 231 | 234-329 | 36 | | | | | 50% | |
| 6 | 111 | 232 | 235-330 | 37 | | | | | 50% | |
| 7 | 112 | 233 | 236-331 | 38 | | | | | 50% | |
| 8 | 113 | 234 | 237-332 | 39 | | | | | 50% | |
| 9 | 114 | 235 | 238-333 | 40 | | | | | 50% | |
| 10 | 115 | 236 | 239-334 | 41 | | | | | 50% | |
| 11 | | | | | | | | | | |
| 12 | | | | | | | | | | |
| 13 | | | | | | | | | | |
| 14 | | | | | | | | | | |
| 15 | | | | | | | | | | |
| 16 | | | | | | | | | | |
| 17 | | | | | | | | | | |
| 18 | | | | | | | | | | |
| 19 | | | | | | | | | | |
| 20 | | | | | | | | | | |
| 21 | | | | | | | | | | |
| 22 | | | | | | | | | | |
| 23 | | | | | | | | | | |
| 24 | | | | | | | | | | |
| 25 | | | | | | | | | | |

| | | | | | |
|---------------------|--------------------------|--------------------|--------------------------|---------------|------------------|
| TOTAL SETUPS | TOTAL SWEEPS | TOTAL COVERAGE | TOTAL FIELD TIME | DRIVING TIME | SYSTEM NO. |
| SWEEP FREQUENCY | SWEEP PATTERN | SWEEPS PER PATTERN | SWEEP PATTERNS PER SETUP | PATCH PATTERN | |
| GEOPHONES PER PATCH | NO. OF RECORDING PATCHES | TYPE VIBRATOR | TYPE GEOPHONE | FREQUENCY | STATION INTERVAL |
| REMARKS | | | OBSERVER | PARTY MGR. | |

**OBSERVER'S REPORT
DIGITAL VIBROSEIS RECORDER**

**Exploration Services
Division
Geosource Inc.**

| | | | | |
|-------------------------|-----------------------------|-------------------------|--------------------------|------------------------|
| CLIENT <i>COCORP</i> | AREA <i>Florida</i> | STATE <i>Florida</i> | COUNTY <i>MADISON</i> | DATE <i>1-23-84</i> |
| CREW NO. <i>6834</i> | TERRAIN <i>Dirt Road</i> | WEATHER <i>clear</i> | | LINE NO. <i>#4</i> |

| REC. NO. | SWEEP POINT | PATCH LOCATIONS | CDP SW. | NO VIB | AMP GAIN | TAPE RL. NO. | F I L T E R | | | RE MARKS |
|----------|-------------------|-----------------|------------|----------|----------------------|--------------|-----------------|------------|-----|--|
| | | | | | | | LOCUT | 60 ~ | AMP | |
| 1 | <i>PULSE</i> | <i>1-6sec</i> | | | <i>MISSING SWEEP</i> | <i>934</i> | <i>OUT</i> | <i>IN</i> | | <i>Recorder set up at 311-312</i> |
| 2 | <i>EINT</i> | <i>2- " "</i> | | | | | | | | <i>4 Vib, 1st Vib - 69' Behind Flag, 50 spacing</i> |
| 3 | <i>D.R.D</i> | <i>4- " "</i> | | | | | | | | <i>20'6 move up, 16sec sweep, 16 sweep, 32sec Record</i> |
| 4 | <i>slumtest</i> | <i>2- " "</i> | | | | | | | | |
| 5 | <i>N.R.J</i> | <i>2- " "</i> | | | | | | | | |
| 6 | <i>Similarity</i> | <i>1-16sec</i> | <i>237</i> | <i>4</i> | | <i>934</i> | <i>E.O.#934</i> | <i>40%</i> | | <i>Vib # 23652, Down, working on back mass.</i> |
| 7 | <i>WINDSTRIP</i> | <i>1-32sec</i> | <i>1</i> | | | <i>935</i> | <i>B.O.#935</i> | <i>72%</i> | | <i>NOTE: STA # 311 OPEN, DUE TO CHURCH.</i> |
| 8 | <i>237</i> | <i>240-335</i> | <i>1</i> | <i>4</i> | | | | <i>50%</i> | | |
| 9 | <i>238</i> | <i>241-336</i> | <i>2</i> | | <i>1</i> | | | <i>30%</i> | | |
| 10 | <i>239</i> | <i>242-337</i> | <i>3</i> | | | | | <i>30%</i> | | |
| 11 | <i>240</i> | <i>243-338</i> | <i>4</i> | | | | | <i>50%</i> | | |
| 12 | <i>241</i> | <i>244-339</i> | <i>5</i> | | | | | <i>50%</i> | | |
| 13 | <i>242</i> | <i>245-340</i> | <i>6</i> | | | | | <i>50%</i> | | |
| 14 | <i>243</i> | <i>246-341</i> | <i>7</i> | | | | | <i>50%</i> | | |
| 15 | <i>244</i> | <i>247-342</i> | <i>8</i> | | | | | <i>50%</i> | | |
| 16 | <i>245</i> | <i>248-343</i> | <i>9</i> | | | | | <i>50%</i> | | |
| 17 | <i>246</i> | <i>249-344</i> | <i>10</i> | | | | | <i>50%</i> | | |
| 18 | <i>247</i> | <i>250-345</i> | <i>11</i> | | | | | <i>50%</i> | | |
| 19 | <i>248</i> | <i>251-346</i> | <i>12</i> | | | | | <i>50%</i> | | |
| 20 | <i>249</i> | <i>252-347</i> | <i>13</i> | | | | | <i>50%</i> | | |
| 21 | <i>250</i> | <i>253-348</i> | <i>14</i> | | | | | <i>50%</i> | | |
| 22 | <i>251</i> | <i>254-349</i> | <i>15</i> | | | | | <i>50%</i> | | |
| 23 | <i>252</i> | <i>255-350</i> | <i>16</i> | | | | | <i>50%</i> | | |
| 24 | <i>253</i> | <i>256-351</i> | <i>17</i> | | <i>1</i> | | | <i>50%</i> | | |
| 25 | <i>254</i> | <i>257-352</i> | <i>18</i> | | | | | <i>50%</i> | | |

| | | | | | |
|---|---------------------------------------|-------------------------------------|---|--------------------------------------|---|
| TOTAL SETUPS | TOTAL SWEEPS | TOTAL COVERAGE | TOTAL FIELD TIME | DRIVING TIME | SYSTEM NO. |
| SWEEP FREQUENCY <i>8 > 32Hz / 16sec</i> | | SWEEP PATTERN <i>See Remarks</i> | SWEEPS PER PATTERN <i>16</i> | SWEEP PATTERNS PER SETUP <i>1</i> | PATCH PATTERN <i> / X / </i> |
| GEOPHONES PER PATCH <i>24</i> | NO. OF RECORDING PATCHES <i>96</i> | TYPE VIBRATOR <i>5-1100's</i> | TYPE GEOPHONE <i>ETL DV 22B</i> | FREQUENCY <i>7.5 Hz</i> | STATION INTERVAL <i>3.30'</i> |
| REMARKS <i>8ms sample RATE / 32sec Record length</i> | | | OBSERVER <i>B. PATTON, M. Richey</i> | PARTY MGR. <i>L. DAVIS</i> | |

**OBSERVER'S REPORT
DIGITAL VIBROSEIS RECORDER**

**Exploration Services
Division
Geosource Inc.**

| | | | | |
|-------------------------|-----------------------------|-------------------------|--------------------------|------------------------|
| CLIENT <i>COCORP</i> | AREA <i>Florida</i> | STATE <i>Florida</i> | COUNTY <i>MADISON</i> | DATE <i>1-23-84</i> |
| CREW NO. <i>6834</i> | TERRAIN <i>Dirt Road</i> | WEATHER <i>Clear</i> | | LINE NO. <i>#4</i> |

| REC.NO. | SWEEP POINT | PATCH LOCATIONS | CDP SW. | NO VIB | Missed Sweep | TAPE RL.NO. | F I L T E R | | | REMARKS |
|---------|-------------|-----------------|---------|--------|--------------|-------------|-------------|------|------|--|
| | | | | | | | LOCUT | 60 ~ | AMP | |
| 1 | 135 | 255 | 258-353 | 19 | 4 | 935 | OUT | IN | 50% | |
| 2 | SKIP | 256 | 259-354 | 20 | | | | | SKIP | Due to HOUSES. |
| 3 | SKIP | 257 | 260-355 | 21 | | | | | SKIP | " " " |
| 4 | SKIP | 258 | 261-356 | 22 | | | | | SKIP | " " " |
| 5 | 136 | 259 | 262-357 | 23 | | | | | 50% | |
| 6 | 137 | 260 | 263-358 | 24 | | | | | 50% | NOTE: STA #358 OPEN, DUE TO DRIVE WAY. |
| 7 | 138 | 261 | 264-359 | 25 | | 935 | | | 50% | E.O.T #935, TAPE MKTS. |
| 8 | | | | | | | | | | |
| 9 | | | | | | | | | | |
| 10 | | | | | | | | | | |
| 11 | | | | | | | | | | |
| 12 | | | | | | | | | | |
| 13 | | | | | | | | | | |
| 14 | | | | | | | | | | |
| 15 | | | | | | | | | | |
| 16 | | | | | | | | | | |
| 17 | | | | | | | | | | |
| 18 | | | | | | | | | | |
| 19 | | | | | | | | | | |
| 20 | | | | | | | | | | |
| 21 | | | | | | | | | | |
| 22 | | | | | | | | | | |
| 23 | | | | | | | | | | |
| 24 | | | | | | | | | | |
| 25 | | | | | | | | | | |

| | | | | | |
|---------------------|--------------------------|--------------------|--------------------------|---------------|------------------|
| TOTAL SETUPS | TOTAL SWEEPS | TOTAL COVERAGE | TOTAL FIELD TIME | DRIVING TIME | SYSTEM NO. |
| SWEEP FREQUENCY | SWEEP PATTERN | SWEEPS PER PATTERN | SWEEP PATTERNS PER SETUP | PATCH PATTERN | |
| GEOPHONES PER PATCH | NO. OF RECORDING PATCHES | TYPE VIBRATOR | TYPE GEOPHONE | FREQUENCY | STATION INTERVAL |
| REMARKS | OBSERVER | | PARTY MGR. | | |

**OBSERVER'S REPORT
DIGITAL VIBROSEIS RECORDER**

**Exploration Services
Division
Geosource Inc.**

12

| | | | | |
|-------------------------|-----------------------------|-----------------------------------|--------------------------|------------------------|
| CLIENT <i>COCORP</i> | AREA <i>Florida</i> | STATE <i>Florida</i> | COUNTY <i>MADISON</i> | DATE <i>1-28-84</i> |
| CREW NO. <i>6834</i> | TERRAIN <i>Dirt Road</i> | WEATHER <i>Clear & WET</i> | | LINE NO. <i>#4</i> |

| REC. NO. | SWEEP POINT | PATCH LOCATIONS | CDP SW. | NO VIB | AMP GAIN | TAPE RL. NO. | F I L T E R | | | RE MARKS |
|----------|-------------|-----------------|---------|--------|----------------------|--------------|-------------|------|------|---|
| | | | | | | | LOCUT | 60 ~ | AMP | |
| 1 | 933 | PULSE | | | <i>MISSING 36-40</i> | 936 | OUT | IN | | Recorder set at 336-337 |
| 2 | 934 | EINT | | | | | | | | B.O.T #936, 900 10sec. ALL ONES. |
| 3 | 935 | D.R.D | | | | | | | | 4 Vib's, 1st Vib = 69 Behind Flag, 16sec sweep |
| 4 | 936 | SUM test | | | | | | | | 16 sweep, 32sec Record, 50' spacing, 20' move up. |
| 5 | 937 | N.R.I.S | | | | | | | | STA # 311, 358, 363, OPEN Due to DRIVE WAY. |
| 6 | 932 | SIMILARITY | 237 | 4 | | | | | 40% | Vib # 23652 Down, working on BACK MASS. |
| 7 | 139 | WIND strip | 1 | | | | | | 720h | |
| 8 | 140 | 262 | 1 | 4 | | | | | 30% | |
| 9 | SKIP | 263 | 2 | | | | | | SKIP | Due to HOUSES. |
| 10 | SKIP | 264 | 3 | | | | | | SKIP | " " " |
| 11 | 141 | 265 | 4 | | | | | | 30% | |
| 12 | SKIP | 266 | 5 | | | | | | SKIP | Due to HOUSES. |
| 13 | SKIP | 267 | 6 | | | | | | SKIP | " " " |
| 14 | 142 | 268 | 7 | | | | | | 30% | LAST HALF. |
| 15 | 143 | 269 | 8 | | | | | | 50% | |
| 16 | 144 | 270 | 9 | | | | | | 50% | |
| 17 | 145 | 271 | 10 | | | | | | 50% | |
| 18 | 146 | 272 | 11 | | | | | | 50% | |
| 19 | 147 | 273 | 12 | | | | | | 50% | LAST HALF. |
| 20 | 148 | 274 | 13 | | | | | | 50% | |
| 21 | 149 | 275 | 14 | | | | | | 50% | |
| 22 | 150 | 276 | 15 | | | | | | 50% | |
| 23 | SKIP | 277 | 16 | | | | | | SKIP | Due to BACK. |
| 24 | 151 | 278 | 17 | | | | | | 50% | |
| 25 | SKIP | 279 | 18 | | | | | | SKIP | Due to HOUSE. |

| | | | | | |
|---|---------------------------------------|-------------------------------------|---|---------------------------------|---------------------------------|
| TOTAL SETUPS | TOTAL SWEEPS | TOTAL COVERAGE | TOTAL FIELD TIME | DRIVING TIME | SYSTEM NO. |
| SWEEP FREQUENCY <i>8 → 32 Hz / 16 sec</i> | | SWEEP PATTERN <i>See Remarks</i> | | SWEEPS PER PATTERN <i>16</i> | |
| SWEPT PATTERNS PER SETUP <i>1</i> | | PATCH PATTERN <i> </i> | | | |
| GEOPHONES PER PATCH <i>24</i> | NO. OF RECORDING PATCHES <i>96</i> | TYPE VIBRATOR <i>5-Y1100's</i> | TYPE GEOPHONE <i>ETLDV22B</i> | FREQUENCY <i>7.5 Hz</i> | STATION INTERVAL <i>330'</i> |
| REMARKS <i>8ms Sample RATE / 32sec Record Length</i> | | | OBSERVER <i>B. PATTON, M. Richey</i> | PARTY MGR. <i>L. DAVIS</i> | |

**OBSERVER'S REPORT
DIGITAL VIBROSEIS RECORDER**

Exploration Services 13
Division
Geosource Inc.

| | | | | |
|-------------------------|-----------------------------|-------------------------------|--------------------------|------------------------|
| CLIENT <i>COCORP</i> | AREA <i>Florida</i> | STATE <i>Florida</i> | COUNTY <i>MADISON</i> | DATE <i>1-28-84</i> |
| CREW NO. <i>6834</i> | TERRAIN <i>Dirt Road</i> | WEATHER <i>Clear + WET</i> | | LINE NO. <i>#4</i> |

| REC.NO. | SWEEP POINT | PATCH LOCATIONS | CDP SW. | NO VIB | AMP GAIN | TAPE RL.NO. | F I L T E R | | | RE MARKS |
|---------|-------------|-----------------|---------|--------|---------------------|-------------|-------------|------|-----|----------|
| | | | | | | | LOCUT | 60 ~ | AMP | |
| 1 | 280 | 283-378 | 19 | 4 | <i>Missed Sweep</i> | 936 | OUT | IN | 50% | |
| 2 | 281 | 284-379 | 20 | | | | | | 50% | |
| 3 | | | | | | | | | | |
| 4 | | | | | | | | | | |
| 5 | | | | | | | | | | |
| 6 | | | | | | | | | | |
| 7 | | | | | | | | | | |
| 8 | | | | | | | | | | |
| 9 | | | | | | | | | | |
| 10 | | | | | | | | | | |
| 11 | | | | | | | | | | |
| 12 | | | | | | | | | | |
| 13 | | | | | | | | | | |
| 14 | | | | | | | | | | |
| 15 | | | | | | | | | | |
| 16 | | | | | | | | | | |
| 17 | | | | | | | | | | |
| 18 | | | | | | | | | | |
| 19 | | | | | | | | | | |
| 20 | | | | | | | | | | |
| 21 | | | | | | | | | | |
| 22 | | | | | | | | | | |
| 23 | | | | | | | | | | |
| 24 | | | | | | | | | | |
| 25 | | | | | | | | | | |

| | | | | | |
|---------------------|--------------------------|--------------------|--------------------------|---------------|------------------|
| TOTAL SETUPS | TOTAL SWEEPS | TOTAL COVERAGE | TOTAL FIELD TIME | DRIVING TIME | SYSTEM NO. |
| SWEEP FREQUENCY | SWEEP PATTERN | SWEEPS PER PATTERN | SWEEP PATTERNS PER SETUP | PATCH PATTERN | |
| GEOPHONES PER PATCH | NO. OF RECORDING PATCHES | TYPE VIBRATOR | TYPE GEOPHONE | FREQUENCY | STATION INTERVAL |
| REMARKS | | | OBSERVER | PARTY MGR. | |

**OBSERVER'S REPORT
DIGITAL VIBROSEIS RECORDER**

**Exploration Services
Division
Geosource Inc.** 14

| | | | | |
|-------------------------|-----------------------------|-------------------------------|--------------------------|------------------------|
| CLIENT COCORP | AREA Florida | STATE Florida | COUNTY MADISON | DATE 1-29-84 |
| CREW NO. 6834 | TERRAIN Dirt Road | WEATHER clear + wet | | LINE NO. #4 |

| REC.NO. | SWEEP POINT | PATCH LOCATIONS | CDP SW. | NO VIB | AMP GAIN | TAPE RL.NO. | F I L T E R | | | RE MARKS |
|---------|-------------|-----------------|---------|--------|----------|-------------|-------------|------|------|---|
| | | | | | | | LOCUT | 60 ~ | AMP | |
| 1 | 933 | PULSE | | | | 936 | ALLT | IN | | Recorder set At 352-353 |
| 2 | 934 | EINT | | | | | | | | 4 Vibs, 1st Vib -69' Behind Flag, 50' spacing, 20' 1/2 mark |
| 3 | 935 | D.R.D | | | | | | | | up, 16sec sweep, 16 sweep, 32sec Record, |
| 4 | 936 | Sum test | | | | | | | | STAP 311, 358, 363, OPEN, Due to DRIVEWAYS. |
| 5 | 937 | N.R.S | | | | | | | | Vib #23652 Down, working on BACK MARS, |
| 6 | 932 | similarity | 237 | 4 | | 936 | | | 40% | E.O.T #936, TAPE MKTJ |
| 7 | 154 | windstrip | 5 | | | 937 | | | 72% | B.O.T #937, 900 10sec ALL ONEG. |
| 8 | 155 | 282 | 285-380 | 5 | 4 | | | | 30% | |
| 9 | 156 | 283 | 286-381 | 6 | | | | | 50% | |
| 10 | 157 | 284 | 287-382 | 7 | | | | | 50% | |
| 11 | 158 | 285 | 288-383 | 8 | | | | | 50% | |
| 12 | 159 | 286 | 289-384 | 9 | | | | | 50% | |
| 13 | 160 | 287 | 290-385 | 10 | | | | | 50% | Stacked 1st half. |
| 14 | SKIP | 288 | 291-386 | 11 | | | | | SKIP | Due to house |
| 15 | SKIP | 289 | 292-387 | 12 | | | | | SKIP | " " " |
| 16 | 161 | 290 | 293-388 | 13 | | | | | 30% | Stacked last half. |
| 17 | 162 | 291 | 294-389 | 14 | | | | | 30% | |
| 18 | SKIP | 292 | 295-390 | 15 | | | | | SKIP | Due to House. |
| 19 | SKIP | 293 | 296-391 | 16 | | | | | SKIP | " " " |
| 20 | 163 | 294 | 297-392 | 17 | | | | | 30% | |
| 21 | SKIP | 295 | 298-393 | 18 | | | | | SKIP | Due to Houses. |
| 22 | SKIP | 296 | 299-394 | 19 | | | | | SKIP | " " " |
| 23 | SKIP | 297 | 300-395 | 20 | | | | | SKIP | " " " |
| 24 | 164 | 298 | 301-396 | 21 | | | | | 50% | |
| 25 | SKIP | 299 | 302-397 | 22 | | | | | SKIP | Due to House. |

| | | | | | |
|--|--------------------------------|-------------------------------------|----------------------------------|--------------------------|---------------------------|
| TOTAL SETUPS | TOTAL SWEEPS | TOTAL COVERAGE | TOTAL FIELD TIME | DRIVING TIME | SYSTEM NO. |
| SWEEP FREQUENCY 8 → 32Hz / 16sec | | SWEEP PATTERN SEE REMARKS | | SWEEPS PER PATTERN 16 | |
| SWEEP PATTERNS PER SETUP 1 | | PATCH PATTERN / X / | | | |
| GEOPHONES PER PATCH 24 | NO. OF RECORDING PATCHES 96 | TYPE VIBRATOR 5-Y1100's | TYPE GEOPHONE ETHDVA2B | FREQUENCY 7.5Hz | STATION INTERVAL 3.30' |
| REMARKS 8ms SAMPLE RATE / 32sec Record Length | | | OBSERVER B. PATTON, M. Richey | PARTY MGR. L. DAVIS | |

**OBSERVER'S REPORT
DIGITAL VIBROSEIS RECORDER**

Exploration Services 15
Division
Geosource Inc.

| | | | | |
|-------------------------|-----------------------------|-------------------------------|--------------------------|------------------------|
| CLIENT COCORP | AREA Florida | STATE Florida | COUNTY Madison | DATE 1-29-84 |
| CREW NO. 6834 | TERRAIN Dirt Road | WEATHER Clear + wet | | LINE NO. #4 |

| REC.NO. | SWEEP POINT | PATCH LOCATIONS | CDP SW. | NO VIB | AMP GAIN | TAPE RL.NO. | F I L T E R | | | REMARKS |
|---------|-------------|-----------------|---------|------------|--------------|-------------|-------------|------|------|---------------------------------|
| | | | | | | | LOCUT | 60 ~ | AMP | |
| 1 | SKIP 300 | 303-398 | 23 | 4 | MISSED SWEEP | 937 | OUT | IN | SKIP | Due to Houses |
| 2 | SKIP 301 | 304-399 | 24 | | | | | | SKIP | " " " |
| 3 | 165 302 | 305-400 | 25 | | | | | | 30% | |
| 4 | SKIP 303 | 306-401 | 26 | | | | | | SKIP | Due to trailer |
| 5 | 166 304 | 307-402 | 27 | | | | | | 30% | LAST HALF. |
| 6 | 167 305 | 308-403 | 28 | | | | | | 30% | |
| 7 | 168 306 | 309-404 | 29 | | | | | | 50% | |
| 8 | 169 307 | 310-405 | 30 | | | | | | 50% | |
| 9 | 170 308 | 311-406 | 31 | | | | | | 50% | |
| 10 | 171 309 | 312-407 | 32 | | | | | | 50% | |
| 11 | 172 310 | 313-408 | 33 | | | | | | 50% | stacked 1st half. |
| 12 | SKIP 311 | 314-409 | 34 | | | | | | SKIP | From 311 to 318 Due to houses. |
| 13 | 173 319 | 322-417 | 42 | | | | | | 30% | |
| 14 | 174 320 | 323-418 | 43 | | | | | | 30% | |
| 15 | 175 321 | 324-419 | 44 | | | 937 | | | 50% | EOT * 937 Tape MKTs. |
| 16 | 176 322 | 325-420 | 45 | wind strip | | 938 | | | 60db | BOT * 938 *900 10 sec All ones. |
| 17 | 177 322 | 325-420 | 45 | | | | | | 30% | stacked last half. |
| 18 | 178 323 | 326-421 | 46 | | | | | | 50% | |
| 19 | SKIP 324 | 327-422 | 47 | | | | | | SKIP | From 324-330 Due to houses. |
| 20 | | | | | | | | | | |
| 21 | | | | | | | | | | |
| 22 | | | | | | | | | | |
| 23 | | | | | | | | | | |
| 24 | | | | | | | | | | |
| 25 | | | | | | | | | | |

| | | | | | | | | | | | | |
|---------------------|--|--------------------------|---------------|----------------|--|--------------------|--|--------------|--------------------------|------------------|---------------|-------------------|
| TOTAL SETUPS | | TOTAL SWEEPS | | TOTAL COVERAGE | | TOTAL FIELD TIME | | DRIVING TIME | | SYSTEM NO. | | |
| SWEEP FREQUENCY | | | SWEEP PATTERN | | | SWEEPS PER PATTERN | | | SWEEP PATTERNS PER SETUP | | PATCH PATTERN | |
| GEOPHONES PER PATCH | | NO. OF RECORDING PATCHES | | TYPE VIBRATOR | | TYPE GEOPHONE | | FREQUENCY | | STATION INTERVAL | | LINE DIR. 1 TO 24 |
| REMARKS | | | | | | OBSERVER | | | PARTY MGR. | | | |

**OBSERVER'S REPORT
DIGITAL VIBROSEIS RECORDER**

**Exploration Services 16
Division
Geosource Inc.**

| | | | | |
|-------------------------|-----------------------------|-------------------------------|--------------------------|------------------------|
| CLIENT COCORP | AREA Florida | STATE Florida | COUNTY Madison | DATE 1-30-84 |
| CREW NO. 6834 | TERRAIN Dirt Road | WEATHER Clear + wet | | LINE NO. 4 |

| REC.NO. | SWEEP POINT | PATCH LOCATIONS | CDP SW. | NO VIB | AMP GAIN | TAPE RL.NO. | F I L T E R | | | RE MARKS |
|---------|-------------|-----------------|------------|--------|---------------|-------------|-------------|------|-----|---|
| | | | | | | | LOCUT | 60 ~ | AMP | |
| 1 | 933 | Pulse | 1 - 6 sec | | Missed Sweeps | 938 | OUT | IN | | Recorder set AT 406 - 407. |
| 2 | 934/935 | EIA/T | 2 - " " | | | | | | | 5 Vibs, 1st Vib - 44' Behind FLAG, 50' spacing, |
| 3 | 936/939 | DRD | 4 - " " | | | | | | | 20' G move up, 16 sec sweep, 16 sweep, 32 sec Record. |
| 4 | 953/954 | Sum TEST | 2 - " " | | | | | | | |
| 5 | 960/961 | NRJ TEST | 2 - " " | | | | | | | |
| 6 | 932 | Similarity | 1 - 16 sec | 236 | 5 | | | | | 40% |
| 7 | 179 | Wind strip | 1 - 32 sec | 240 | | | | | | 66Db STA# 358, 363, OPEN Due to DRIVE WAYS. |
| 8 | 180 | 331 | 334 - 429 | 240 | 5 | | | | | 50% LAST HALF |
| 9 | 181 | 332 | 335 - 430 | 1 | | | | | | 50% |
| 10 | 182 | 333 | 336 - 431 | 2 | | | | | | 50% |
| 11 | 183 | 334 | 337 - 432 | 3 | | | | | | 50% 1st HALF. |
| 12 | SKIP | 335 | 338 - 433 | 4 | | | | | | SKIP Due to House. |
| 13 | 184 | 336 | 339 - 434 | 5 | 1 | | | | | 30% LAST HALF |
| 14 | 185 | 337 | 340 - 435 | 6 | | | | | | 50% |
| 15 | 186 | 338 | 341 - 436 | 7 | | | | | | 50% |
| 16 | 187 | 339 | 342 - 437 | 8 | | | | | | 50% |
| 17 | SKIP | 340 | 343 - 438 | 9 | | | | | | SKIP Due to SOFT shoulder |
| 18 | SKIP | 341 | 344 - 439 | 10 | | | | | | SKIP Due to House. |
| 19 | SKIP | 342 | 345 - 440 | 11 | | | | | | SKIP " " " " |
| 20 | 188 | 343 | 346 - 441 | 12 | | | | | | 30% |
| 21 | 189 | 344 | 347 - 442 | 13 | | | | | | 50% |
| 22 | 190 | 345 | 348 - 443 | 14 | | | | | | 50% |
| 23 | 191 | 346 | 349 - 444 | 15 | | | | | | 50% STA# 444 OPEN, Due to church. |
| 24 | 192 | 347 | 350 - 445 | 16 | | | | | | 50% |
| 25 | SKIP | 348 | 351 - 446 | 17 | | | | | | SKIP Due to PAVEMENT. |

| | | | | | |
|--|--------------------------------|------------------------------|---------------------------|--------------------------|-------------------------------|
| TOTAL SETUPS | TOTAL SWEEPS | TOTAL COVERAGE | TOTAL FIELD TIME | DRIVING TIME | SYSTEM NO. |
| SWEEP FREQUENCY 8 → 32 Hz / 16 sec | | SWEEP PATTERN See Remarks | | SWEEPS PER PATTERN 16 | SWEEP PATTERNS PER SETUP 1 |
| PATCH PATTERN X | | | | | |
| GEOPHONES PER PATCH 24 | NO. OF RECORDING PATCHES 96 | TYPE VIBRATOR 5-Y 110d's | TYPE GEOPHONE ETLEV22B | FREQUENCY 7.5 Hz | STATION INTERVAL 330' |
| REMARKS 8 ms Sample Rate / 32 sec Record Length | | | OBSERVER R. Patton | PARTY MGR. M. Richey | |

**OBSERVER'S REPORT
DIGITAL VIBROSEIS RECORDER**

Exploration Services 17
Division
Geosource Inc.

| | | | | |
|-------------------------|-----------------------------|-----------------------------------|--------------------------|------------------------|
| CLIENT <i>COCORP</i> | AREA <i>Florida</i> | STATE <i>Florida</i> | COUNTY <i>MADISON</i> | DATE <i>1-30-84</i> |
| CREW NO. <i>6834</i> | TERRAIN <i>Dirt Road</i> | WEATHER <i>Clear & WET</i> | | LINE NO. <i>#4</i> |

| REC.NO. | SWEEP POINT | PATCH LOCATIONS | CDP SW. | NO VIB | AMP GAIN | TAPE RL.NO. | F I L T E R | | | REMARKS |
|---------|--------------------|---------------------|---------|--------|------------------|-------------|-------------|------|------|------------------------------------|
| | | | | | | | LOCUT | 60 ~ | AMP | |
| 1 | SKIP 349 | 352-447 | 18 | 5 | <i>missed</i> | 938 | OUT | IN | SKIP | Due to House From STA #349 to 352. |
| 2 | 193 353 | 356-451 | 22 | | | | | | 30% | |
| 3 | 194 354 | 357-452 | 23 | | | 938 | | | 50% | E.O. #938, TAPE MKTS |
| 4 | 195 355 | 358-453 | 24 | | <i>WINDSTRIP</i> | 939 | | | 72% | B.O. #939, 900 LOSS ALONES. |
| 5 | 196 355 | 358-453 | 24 | | 1 | | | | 50% | |
| 6 | SKIP 356 | 359-454 | 25 | | | | | | SKIP | Due to HOUSES. |
| 7 | SKIP 357 | 360 -455 | 26 | | | | | | SKIP | " " " |
| 8 | SKIP 358 | 361-456 | 27 | | | | | | SKIP | " " " |
| 9 | 197 359 | 362-457 | 28 | | | | | | 30% | LAST HALF. |
| 10 | 198 360 | 363-458 | 29 | | 1 | | | | 30% | 1st HALF. |
| 11 | SKIP 361 | 364-459 | 30 | | | | | | SKIP | Due to HOUSE. |
| 12 | 199 362 | 365-460 | 31 | | | | | | 30% | |
| 13 | SKIP 363 | 366-461 | 32 | | | | | | SKIP | Due to HOUSE. |
| 14 | 200 364 | 367-462 | 33 | | | | | | 30% | LAST HALF |
| 15 | 201 365 | 368-463 | 34 | | | | | | 30% | |
| 16 | SKIP 366 | 369-464 | 35 | | | | | | SKIP | Due to BARN |
| 17 | | | | | | | | | | |
| 18 | | | | | | | | | | |
| 19 | | | | | | | | | | |
| 20 | | | | | | | | | | |
| 21 | | | | | | | | | | |
| 22 | | | | | | | | | | |
| 23 | | | | | | | | | | |
| 24 | | | | | | | | | | |
| 25 | | | | | | | | | | |

| | | | | | | | | | | | | |
|---------------------|--|--------------------------|---------------|----------------|--|--------------------|----------|--------------|--------------------------|------------------|---------------|-------------------|
| TOTAL SETUPS | | TOTAL SWEEPS | | TOTAL COVERAGE | | TOTAL FIELD TIME | | DRIVING TIME | | SYSTEM NO. | | |
| SWEEP FREQUENCY | | | SWEEP PATTERN | | | SWEEPS PER PATTERN | | | SWEEP PATTERNS PER SETUP | | PATCH PATTERN | |
| GEOPHONES PER PATCH | | NO. OF RECORDING PATCHES | | TYPE VIBRATOR | | TYPE GEOPHONE | | FREQUENCY | | STATION INTERVAL | | LINE DIR. 1 TO 24 |
| REMARKS | | | | | | | OBSERVER | | | PARTY MGR. | | |

OBSERVER REPORT PETTY-RAY GEOPHYSICAL

GEO-252-D

18

| CREW NO. 6834 | | LINE NO. #4 | | LEAVE TOWN/CAMP | | ARRIVE TOWN/CAMP | | TOTAL TR. TIME | | DOWN TIME | | WEATHER Clear | | TRAIL CONDITIONS Dirt Road | | DATE MONTH 1 | | DAY 3 | | YEAR 84 | | CLIENT COCORP | | OB R. PATTON | | PM L. DAVIS | | | | | |
|---------------|------------|------------------------|----|-----------------|----|-------------------|------------------|-------------------|---------------|-----------|----------|---------------|------|----------------------------|--------|--------------|----------|-------|--------------|----------|---------------------|---------------|--|--------------|-----|--|--------------------------------|--------------------------|--|--|--|
| FILE NO. | STA. NO. | STA. NO'S (LIVE GRPS.) | | | | C. D. P. POSITION | DIGITAL REEL NO. | GAIN PAMPS or "K" | PARITY | | SHOOTING | | | | | SUR. SOURCES | | | INST. SET UP | TIME DAY | STA. OFFSET TO LINE | REMARKS | | | | | | | | | |
| | | TR | TR | TR | TR | | | | TAPE | MEMORY | SIZE | TOP | BOT. | NO CAPS | U.H.T. | N. UNITS | NO. SUMS | DRIVE | | | | | | | | | | | | | |
| 933 | PULSE | 1-6sec | | | | | 939 | 48 | missed sweeps | | | | | | | | 16 | | 441 | | 990 | | MADISON CO. | | | | | | | | |
| 934/935 | EINT | 2- " " | | | | | | | | | | | | | | | | | | | | | 5 Vibs, 50' spacing, 20' 6" move up, 1st Vib -44" Behind Flag. | | | | | | | | |
| 936/939 | D.R.D | 4- " " | | | | | | | | | | | | | | | | | | | | | 16sec sweep, 16 sweep, 32 sec Record. | | | | | | | | |
| 953/954 | Summit | 2- " " | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 960/961 | N.R.J | 2- " " | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 932 | similarity | 1-16sec | | | | 236 | | | | | | | | | | | | | | | | | 5 | | 40% | | | | | | |
| 202 | windstrip | 1-32sec | | | | 1 | | | | | | | | | | | | | | | | | | | 720 | NOTE: STA #444 OPEN, Due to Drive way. | | | | | |
| 203 | 367 | 370-465 | | | | 1 | | | | | | | | | | | | | | | | | | | 5 | 30% | LAST HALF. | | | | |
| 204 | 368 | 371-466 | | | | 2 | | | | | | | | | | | | | | | | | | | | 50% | | | | | |
| 205 | 369 | 372-467 | | | | 3 | | | | | | | | | | | | | | | | | | | | 50% | | | | | |
| SKIP | 370 | 373-468 | | | | 4 | | | | | | | | | | | | | | | | | | | | SKIP | Due to trailer. | | | | |
| SKIP | 371 | 374-469 | | | | 5 | | | | | | | | | | | | | | | | | | | | SKIP | Due to House. | | | | |
| 206 | 372 | 375-470 | | | | 6 | | | | | | | | | | | | | | | | | | | | 30% | LAST HALF. | | | | |
| 207 | 373 | 376-471 | | | | 7 | | | | | | | | | | | | | | | | | | | | 50% | | | | | |
| SKIP | 374 | 377-472 | | | | 8 | | | | | | | | | | | | | | | | | | | | SKIP | Due to House. | | | | |
| SKIP | 375 | 378-473 | | | | 9 | | | | | | | | | | | | | | | | | | | | SKIP | " " " | | | | |
| 208 | 376 | 379-474 | | | | 10 | | | | | | | | | | | | | | | | | | | | 30% | LAST HALF. | | | | |
| SKIP | 377 | 380-475 | | | | 11 | | | | | | | | | | | | | | | | | | | | SKIP | Due to House. | | | | |
| SKIP | 378 | 381-476 | | | | 12 | | | | | | | | | | | | | | | | | | | | SKIP | " " " | | | | |
| 209 | 379 | 382-477 | | | | 13 | | | | | | | | | | | | | | | | | | | | 50% | | | | | |
| 210 | 380 | 383-478 | | | | 14 | | | | | | | | | | | | | | | | | | | | 50% | | | | | |
| 211 | 381 | 384-479 | | | | 15 | | | | | | | | | | | | | | | | | | | | 8 | 30% | LAST HALF, 8 sweep ONLY. | | | |
| SKIP | 382 | 385-480 | | | | 16 | | | | | | | | | | | | | | | | | | | | SKIP | Due to Houses. | | | | |
| SKIP | 383 | 386-481 | | | | 17 | | | | | | | | | | | | | | | | | | | | SKIP | " " " | | | | |
| SKIP | 384 | 387-482 | | | | 18 | | | | | | | | | | | | | | | | | | | | SKIP | " " " | | | | |
| SKIP | 385 | 388-483 | | | | 19 | | | | | | | | | | | | | | | | | | | | SKIP | " " " | | | | |
| 212 | 386 | 389-484 | | | | 20 | | | | | | | | | | | | | | | | | | | | 30% | LAST HALF. | | | | |
| 213 | 387 | 390-485 | | | | 21 | 939 | | | | | | | | | | | | | | | | | | | 50% | E.O.T #5939, TAPE MKTS. | | | | |
| 214 | 388 | 391-486 | | | | 22 | 940 | | | | | | | | | | | | | | | | | | | 720 | B.O.T #940, 900 10sec ALL ONES | | | | |
| 215 | 388 | 391-486 | | | | 22 | | | | | | | | | | | | | | | | | | | | 50% | | | | | |
| 216 | 389 | 392-487 | | | | 23 | | | | | | | | | | | | | | | | | | | | 50% | | | | | |
| SKIP | 390 | 393-488 | | | | 24 | | | | | | | | | | | | | | | | | | | | SKIP | 1st HALF, Due to House. | | | | |

OBSERVER REPORT PETTY-RAY GEOPHYSICAL

GEO-252-D

| CREW NO. 6831 | | LINE NO. #4 | LEAVE TOWN/CAMP | ARRIVE TOWN/CAMP | TOTAL TR. TIME | DOWN TIME | WEATHER Clear | TRAIL CONDITIONS Dirt Road | DATE MONTH 2 DAY 1 YEAR 84 | CLIENT COCORP | OB R. PATON | PM J. DAVIS | | | | | | | | |
|---------------|-------------|------------------------|-----------------|------------------|----------------|-------------------|------------------|----------------------------|----------------------------|---------------|-------------|-------------|--------------|----------|----------|--------------|----------|---------------------|---------|--|
| FILE NO. | STA. NO. | STA. NO'S (LIVE GRPS.) | | | | C. D. P. POSITION | DIGITAL REEL NO. | GAIN PAMPS or "k" | PARITY TAPE MEMORY | SHOOTING | | | SUR. SOURCES | | | INST. SET UP | TIME DAY | STA. OFFSET TO LINE | REMARKS | |
| | | TR | TR | TR | TR | | | | SIZE | TOP | BOT. | NO CAPS | U.H.T. | N. UNITS | NO. SUMS | DRIVE | | | | |
| 933 | PULSE | | 1 | 6 | sec | | 940 | 48 | Missed Sweep | | | | | 5 | 16 | | 470 | 990 | | |
| 934 | EINT | | 2 | " | " | | | | | | | | | | | | | | | |
| 935 | D.R.D | | 4 | " | " | | | | | | | | | | | | | | | |
| 936 | system test | | 2 | " | " | | | | | | | | | | | | | | | |
| 937 | N.R.J | | 2 | " | " | | | | | | | | | | | | | | | |
| 932 | similarity | | 1 | 16 | sec | 236 | | | | | | | | 5 | | 40% | | | | |
| 224 | wind strip | | 1 | 32 | sec | 8 | | | | | | | | | | 72% | | | | STA #444, OPEN, Due to DRIVEWAY |
| 225 | 403 | | 406 | 501 | | 8 | | | | | | | | 5 | | 50% | | | | |
| 226 | 404 | | 407 | 502 | | 9 | | | | | | | | | | 50% | | | | |
| 227 | 405 | | 408 | 503 | | 10 | | | | | | | | | | 50% | | | | |
| 228 | 406 | | 409 | 504 | | 11 | | | | | | | | | | 50% | | | | |
| 229 | 407 | | 410 | 505 | | 12 | | | | | | | | | | 50% | | | | |
| 230 | 408 | | 411 | 506 | | 13 | | 1 | | | | | | | | 50% | | | | |
| 231 | 409 | | 412 | 507 | | 14 | | | | | | | | | | 50% | | | | |
| 232 | 410 | | 413 | 508 | | 15 | 940 | | E.O.T | | | | | | | 50% | | | | E.O.T #940, TAPE MK+S |
| 233 | 411 | | 414 | 509 | | 16 | 941 | | B.O.T | wind strip | | | | | | 72% | | | | B.O.T #941, 900 10sec ALLOWES |
| 234 | 411 | | 414 | 509 | | 16 | | | | | | | | | | 50% | | | | |
| 235 | 412 | | 415 | 510 | | 17 | | | | | | | | 4 | | 50% | | | | Vib #17311 Down, won't Pressure up properly. |
| 236 | 413 | | 416 | 511 | | 18 | | | | | | | | | | 50% | | | | |
| 237 | 414 | | 417 | 512 | | 19 | | 1 | | | | | | | | 50% | | | | |
| 238 | 415 | | 418 | 513 | | 20 | | | | | | | | | | 50% | | | | |
| 239 | 416 | | 419 | 514 | | 21 | | | | | | | | | | 50% | | | | |
| 240 | 417 | | 420 | 515 | | 22 | | | | | | | | | | 50% | | | | |
| 241 | 418 | | 421 | 516 | | 23 | | | | | | | | | | 50% | | | | |
| 242 | 419 | | 422 | 517 | | 24 | | | | | | | | | | 50% | | | | |
| 243 | 420 | | 423 | 518 | | 25 | | | | | | | | | | 50% | | | | |
| 244 | 421 | | 424 | 519 | | 26 | | 1 | | | | | | | | 50% | | | | |
| 245 | 422 | | 425 | 520 | | 27 | | | | | | | | | | 50% | | | | NOTE: A BLAST ON sweep #15 |
| 246 | 423 | | 426 | 521 | | 28 | | | | | | | | | | 50% | | | | File # 245. |
| 247 | 424 | | 427 | 522 | | 29 | | | | | | | | | | 50% | | | | |
| 248 | 425 | | 428 | 523 | | 30 | | 1 | | | | | | | | 50% | | | | |
| 249 | 426 | | 429 | 524 | | 31 | | | | | | | | | | 50% | | | | STA #524 open Due to Road |

